Technical Bulletin

Genes that fit your farm.



CDC Spruce Green Field Pea



Description:

CDC Spruce is a high yielding green cotyledon, semileafless field pea with good lodging tolerance and powdery mildew resistance.

Parentage: Hugo/Mendel

Strengths:

- Improved yield (109%) compared to the mean of the green check varieties (CDC Striker and Cooper)
- Medium vine length; longer than the checks
- Powdery mildew resistance

Neutral:

- · Good lodging resistance; similar to checks
- Medium maturity (same as Cooper, 2 days later than CDC Striker)
- Medium seed size (similar to CDC Striker, smaller than Cooper)

- Round seed shape (similar to CDC Striker, rounder than Cooper)
- Low seed coat breakage percent (less than Cooper, more than CDC Striker)
- Moderate protein concentration (same as Cooper, less than CDC Striker)
- Fair Mycosphaerella blight resistance; similar to the checks
- Fair Fusarium wilt resistance; similar to the checks

Breeder: Funded by:



UNIVERSITY OF SASKATCHEWAN

AGBIO.USASK.CA

Crop Development Centre COLLEGE OF AGRICULTURE AND BIORESOURCES

Pulse Growers

Table 1: Performance of CDC Spruce compared to the checks (Pea Co-op Test A, 2012-2013)

Variety	Yield (kg/ha)	Yield (% mean of checks)	Days to maturity	Vine length (cm)	Lodging (pre-harvest)	Seed weight (mg)	Shape	Seed coat breakage (%)	Crude protein (%)
CDC Striker (check)	4627	99	97	78	3.6	241	2.5	1	25.1
Cooper (check)	4715	101	99	81	3.5	263	2.9	6	23.7
CDC Spruce	5111	109	99	90	3.7	244	2.6	4	23.7
CV	8.5								
LSD 05	259		0.74	3.2	0.45	6.4	0.11	1.9	0.6
# locations	21		19	17	21	21	21	7	11

Lodging score: 1=upright; 9=completely lodged; Shape: 1=round; 5=cubic;

Lodging score: 1=upright; 9=completely lodged

Shape: 1=round; 5=cubic

Table 2: Disease resistance data of CDC Spectrum compared to the checks (Pea Co-op Test B, 2012-2013)

Variety	Myco (MB)	Myco (SK)	AUDPC- SK	Fusarium wilt (%)	Powdery mildew
CDC Striker (check)	4.4	5.8	13.4	29	7
Cooper (check)	3.5	6.5	10.7	43	0
CDC Spruce	4.4	5.7	13.7	31	0
LSD 05	1.6	1.6	3.1	18.9	.4
# locations	2	2	2	2	2

Myco (MB)= Mycosphaerella blight assessed at Morden, MB (1=no disease, 9=completely blighted)

Myco (SK)= Mycosphaerella blight assessed at Saskatoon, SK.

AUDPC= Mycosphaerella blight area under the disease progress curve

Powdery mildew (0=no disease, 9=completely mildewed

2020 Seed Manitoba

	Yield			Relative		Resistance to:												
Variety	(% of CDC Meadow)	Site Years Tested	Relative Maturity	Vine Length	Seed Size (TKW)	Lodging	Powdery Mildew	MB ¹	Fusarium Wilt ²	Green Seed Coat ³	Seed Coat Breakage	Seed Coat Dimpling ⁴	Bleaching					
		79																
CDC Meadow (C)	100		E	M	220	G	VG	F	F	G	G	G	N/A					
CDC Forest	105	13	М	L	230	G	VG	F	F	N/A	G	G	G					
CDC Greenwater	100	28	L	M	220	G	VG	F	G	N/A	VG	G	G					
CDC Spruce	101	13	М	L	240	G	VG	F	F	N/A	F	F	G					

- 1. Mycosphaerella Blight
- 2. Varieties which show good disease tolerance to one strain of Fusarium wilt may be susceptible to other strains
- 3. Green seed coats: G= 0-10%, F= 11-25%
- 4. Seed coat dimpling rating: VG= 0-5%, G= 6-20%, F= 21-50%

2020 SaskSeed Guide

		Yield (% of CDC	Amarillo)					Resistance to:									
Variety	Years Tested	1, 2 & South 3	North 3 & 4	Irrigation	Protein	Relative Maturity	Lodging ¹	Vine Length (cm)	MB ²	Powdery Mildew	Fusarium Wilt	Seed Coat Breakage	Bleaching	Seed Coat Dimpling ³	Greenness ⁴	Seed Weight (g/1000)		
CDC Amarillo (C)	11	100	100	100	23.0	M	3.5	85	4.5	R	MR	F	N/A	F	G	230		
CDC Forest	7	101	101		-0.2	M	4.0	85	4.5	R	I	G	G	G	N/A	230		
CDC Greenwater	10	100	93	89	-1.1	M	3.5	90	4.0	R	MR	F	G	F	N/A	230		
CDC Limerick	11	96	90	91	+2.8	M	3.5	85	4.0	R	I	G	G	G	N/A	210		
CDC Spruce	8	95	99		+0.1	M	4.0	85	4.5	R	ı	F	G	F	N/A	240		

- 1 Lodging: 1= completely upright, 9= completely lodged
- 2 Mycosphaerella Blight score (1-9) 1= no disease, 9= completely blighted
- 3 Seed coat dimpling: VG= 0-5%, G= 6-20%, F= 21-50%
- 4 Green seed coats: G= 0-15%, F= 16-40%

2020 Alberta Seed Guide

		Overall Station	Area 1 Ar		Area 2		Area 3		Area 4		Area 5			Vine	Seed						
Variety	Overall Yield	Years of Testing	Yield (%)	Site Years	Yield (%)		Yield (%)		Yield (%)		Yield (%)		Maturity Rating	_		Lodging ¹	MB ²	Fusarium Wilt		Seed Coat Breakage ³	
CDC		106	100	18	100	33	100	17	100	30		8	М			3	F		G		
Limerick (C)	100										100			78	211			F		VG	G
CDC Forest	109+	30	121+	6	109+	9	108	5	102	7	108+	3	M	81	236	2.2	F	F	G	G	G
CDC Spruce	105+	30	104	6	107+	9	108+	5	99	7	108	3	M	81	254	2.3	F	F	G	G	F

- 1. Lodging: 1= completely upright 9= completely lodging
- 2. Mycosphaerella Blight
- 3. Seed Coat Dimpling: VG= 0-5%, G= 6-20%, F= 21-50%
- 4. Green Seed Coat: G= 0-10%, F= 11-25%

Resistance: P= Poor, F= Fair, G= good, VG= Very Good R= Resistant

Maturity: E= Early, M= Medium, L= Late